




24/7 Power Line Remote Perimeter Protection Detect – React – Track

- Long-Range PTZ tracking cameras (*4km spacing)
- 20km plus line-of-sight detection
- Day/Night High Definition IR Cameras activated upon ground sensor activation
- Thermal Video Fusion ([LINK](#))
- Remote Satellite connectivity to monitoring station 24/7
- Pylon base subsurface SensoGuard seismic sensors



- Long-Range PTZ tracking cameras (*4km spacing)
- 20km plus line-of-sight detection
- Day/Night High Definition IR Cameras activated upon ground sensor activation
- Thermal Video Fusion ([LINK](#))
- Remote connectivity to monitoring station 24/7
- Pylon base subsurface SensoGuard seismic sensors





- Long-Range PTZ tracking cameras (*4km spacing)
- 20km plus line-of-sight detection
- Cameras activated upon ground sensor activation
- Remote Satellite connectivity to monitoring station 24/7
- Subsurface SensoGuard seismic sensors



- Long-Range PTZ tracking cameras (*4km spacing)
- 20km plus line-of-sight detection
- Cameras activated upon ground sensor activation
- Remote Satellite connectivity to monitoring station 24/7
- Pylon base subsurface SensoGuard seismic sensors



Remote Power Line, Gas and Oil Pipeline Protection
Detect – React – Track

Picture courtesy of Fortescue River Gas Pipeline - TransAlta